

Bid Document

Bid Details	
Bid End Date/Time	11-12-2021 17:00:00
Bid Opening Date/Time	11-12-2021 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Education
Department Name	Department Of Higher Education
Organisation Name	N/a
Office Name	Tata Institute Of Social Science Mumbai
Total Quantity	1
Item Category	Server (Q2) ()
Minimum Average Annual Turnover of the Bidder	1 Lakh (s)
OEM Average Turnover (Last 3 Years)	16 Lakh (s)
Years of Past Experience required	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Time allowed for Technical Clarifications during technical evaluation	3 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

(Minimum 50% Local content required for MII compliance)

Technical Specifications

[illegible]

Specification	Specification Name	Bid Requirement (Allowed Values)
		Silver 4206, Intel Xeon Silver 4209, Intel Xeon Silver 4210, Intel Xeon Silver 4214Y, Intel Xeon Silver 4215, Intel Xeon Silver 4216, Intel Xeon Gold 5215, Intel Xeon Gold 5215L, Intel Xeon Gold 5215M, Intel Xeon Gold 5217, Intel Xeon Gold 5218, Intel Xeon Gold 5218B, Intel Xeon Gold 5218N, Intel Xeon Gold 5218T, Intel Xeon Gold 5220, Intel Xeon Gold 5220S, Intel Xeon Gold 5220T, Intel Xeon Gold 5222, Intel Xeon Gold 6230, Intel Xeon Gold 6230N, Intel Xeon Gold 6230T, Intel Xeon Gold 6234, Intel Xeon Gold 6238, Intel Xeon Gold 6238L, Intel Xeon Gold 6240, Intel Xeon Gold 6240L, Intel Xeon Gold 6240M, Intel Xeon Gold 6240Y, Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6246, Intel Xeon Gold 6248, Intel Xeon Gold 6252, Intel Xeon Gold 6252N, Intel Xeon Gold 6254, Intel Xeon Platinum 8256, Intel Xeon Platinum 8260, Intel Xeon Platinum 8260L, Intel Xeon Platinum 8260Y, Intel Xeon Platinum 8268, Intel Xeon Platinum 8270, Intel Xeon Platinum 8268M, Intel Xeon Platinum 8280, Intel Xeon Platinum 8280L, Intel Xeon Platinum 8280M, Intel Xeon Platinum 9242, Intel Xeon Platinum 9282, Intel Xeon Gold 6143, Intel Pentium G5420, Intel Core i3-9100, Intel Xeon E-2224, Intel Xeon E-2234, Intel Xeon E-2226G, Intel Xeon E-2244G, Intel Xeon E-2236, Intel Xeon E-2274G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon Silver 4210T, Intel Xeon Silver 4215R, Intel Xeon Silver 4210R, Intel Xeon Silver 4214R, Intel Xeon Gold 6250, Intel Xeon Gold 6256, Intel Xeon Gold 5218R, Intel Xeon Gold 6226R, Intel Xeon Gold 6246R, Intel Xeon Gold 5220R, Intel Xeon Gold 6242R, Intel Xeon Gold 6230R, Intel Xeon Gold 6240R, Intel Xeon Gold 6238R, Intel Xeon Gold 6248R, Intel Xeon Gold 6258R, Intel Xeon Platinum 9221, Intel Xeon Platinum 9222, Intel Xeon Platinum 8380HL, Intel Xeon Platinum 8380H, Intel Xeon Platinum 8376HL, Intel Xeon Platinum 8376H, Intel Xeon Platinum 8360HL, Intel Xeon Platinum 8360H, Intel Xeon Platinum 8354H, Intel Xeon Gold 6348H, Intel Xeon Gold 6330H, Intel Xeon Gold 5320H, Intel Xeon Gold 6328HL, Intel Xeon Gold 6328H, Intel Xeon Platinum 8353H, Intel Xeon Gold 5318H, Intel Xeon Platinum 8356H, Intel Xeon Platinum 8368Q, Intel Xeon Platinum 8380, Intel Xeon Platinum 8368, Intel Xeon Platinum 8360Y, Intel Xeon Platinum 8358, Intel Xeon Platinum 8358P, Intel Xeon Platinum 8352Y, Intel Xeon Platinum 8352V, Intel Xeon Platinum 8352S, Intel Xeon Gold 6348, Intel Xeon Gold 6338, Intel Xeon Gold 6338N, Intel Xeon Gold 6342, Intel Xeon Gold 6330, Intel Xeon Gold 5320, Intel Xeon Gold 6330N, Intel Xeon Gold 6354, Intel Xeon Gold 6346, Intel Xeon Gold 6334, Intel Xeon Platinum 8351N, Intel Xeon Gold 6314U, Intel Xeon Silver 4310 Or higher
Chassis	Form Factor	Rack, Tower Or higher
	Size (RU)	1
Motherboard	Expansion Slots Gen 3 (PCIe x1)	0, 1, 2, 3, 4, 5, 6 Or higher
	Expansion Slots Gen 3 (PCIe x4)	0, 1, 2, 3, 4, 5 Or higher
	Expansion Slots Gen 3 (PCIe x8)	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher

Specification	Specification Name	Bid Requirement (Allowed Values)
	Expansion Slots Gen 3 (PCIe x16)	3
	Maximum number of Sockets available on Server	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher
	If Yes, Maximum Number of Slots available for Co-Processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	If Yes, Maximum Number of slots populated with Co processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 8 Or higher
	If Yes, Co Processor /GPU Description	NVIDIA Tesla P4 8GB, NVIDIA Tesla P40 24GB, NVIDIA Tesla V100 PCI-E 16GB, NVIDIA Tesla V100 SXM2 16GB, NVIDIA Tesla V100 PCI-E 32GB, NVIDIA Tesla V100 SXM2 32GB, NA, NVIDIA(R) Tesla(TM) T4 16GB, NVIDIA Tesla M10 Quad GPU Module, NVIDIA Quadro P6000 Graphics Accelerator, NVIDIA Quadro P4000 Graphics Accelerator, NVIDIA Tesla P40 24GB Computational Accelerator, NVIDIA Quadro RTX 6000 Graphics Accelerator, NVIDIA Tesla T4 16GB Computational Accelerator, NVIDIA Quadro RTX 4000 Graphics Accelerator, NVIDIA Quadro RTX 8000 Graphics Accelerator, NVIDIA Quadro P2200 Graphics Accelerator, NVIDIA Tesla V100S 32GB Computational Accelerator, NVIDIA Quadro RTX 5000 16GB Graphics Accelerator, NVIDIA Tesla A100 40GB PCIe based Accelerator, NVIDIA Tesla A100 40GB NVlink based Accelerator Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC
	Total Number of DIMM Slots available	24
	Number of DIMM Slots populated with DDR SDRAM	2
	Number of DIMM Slots populated with DDR NVRAM	0
	DDR SDRAM Size(GB)	64.0 - 6144.0 Or higher
	DDR NVRAM Size (GB)	0.0 - 1600.0 Or higher
	DDR SDRAM upgradable upto using spare DIMM Slots (GB)	704.0 - 8192.0 Or higher
	DDR NVRAM upgradable upto using spare DIMM Slots (GB)	0.0 - 2400.0 Or higher
SSD Storage	Type of Interface for SSD	M.2/NVMe
	Type of SATA SSD	Read Intensive

Specification	Specification Name	Bid Requirement (Allowed Values)
	SATA SSD Hot Swappable	Yes Or higher
	Endurance for SATA SSD (DWPD - Drive Writes Per Day) (X)	1.0 - 50.0 Or higher
	Total Number of Slots available for SATA SSD	2
	Number of Slot Populated with SATA SSD	2
	Capacity offered per SATA SSD (GB)	480
	Total Capacity Offered with SATA SSD (GB)	960.0 Or higher
	Type of SAS SSD	NA
	SAS SSD Hot Swappable	Yes, No, NA Or higher
	Endurance for SAS SSD (DWPD - Drive Writes Per Day) (X)	0.0 - 50.0 Or higher
	Total Number of Slots available for SAS SSD	0
	Number of Slots populated with SAS SSD	0
	Capacity Offered per SAS SSD (GB)	0.0 Or higher
	Total Capacity Offered with SAS SSD (GB)	0.0 Or higher
	Type of NVMe SSD	NA
	NVMe SSD Hot Swappable	Yes, No, NA Or higher
	Endurance for NVMe SSD (DWPD - Drive Writes Per Day) (X)	0.0 - 50.0 Or higher
	Total Number of Slots available for NVMe SSD	0
	Number of Slots populated with NVMe SSD	0
	Capacity Offered per NVMe SSD (GB)	0
	Total Capacity Offered with NVMe SSD (GB)	0.0 Or higher
HDD Storage	Type of Interface for Hard Disk Drive	SAS
	Total number of Slots available for SATA Drive	0
	Number of Slots populated with SATA Drive	0

Specification	Specification Name	Bid Requirement (Allowed Values)
	Capacity offered per SATA Drive (GB)	0
	SATA drive speed (hot plug or better) (RPM)	NA
	Total Storage Capacity offered with SATA Drive (GB)	0.0 Or higher
	Total number of slots available for SAS drive	8
	Number of Slots populated with SAS Drive	3
	Capacity offered per SAS Drive (GB)	2400
	SAS drive Speed (Hot plug or better) (RPM)	10K
	Total Storage Capacity offered with SAS Drive (GB)	7200.0 Or higher
	Total number of slots available for NL SAS drive	0
	Number of Slots populated with NL SAS Drive	0
	Capacity offered per NL SAS Drive	0
	NL SAS drive speed (hot plug or better) (RPM)	NA
	Total Storage Capacity offered with NL SAS Drive (GB)	0.0 Or higher
RAID	RAID level	1, 5, 6, 0
	No of RAID Controller Ports	8 Or higher
	Speed of RAID Controller Ports (Gbps)	12 Or higher
	RAID Controller Cache (GB)	2, 4, 6, 8 Or higher
Ports & Interfaces	Network Card Supported	1G, 10G, 25G, 100G
	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8, 1 Or higher
	Whether Network Interface Card Embedded	Yes Or higher
	Total Number of Ethernet Ports required in Server	4x1G
	Networking Interface Card Features	Asset Feature Tracking, Security Management, Remote Wake up
	Server Network Ports should Support SR-IOV Feature	Yes Or higher

Specification	Specification Name	Bid Requirement (Allowed Values)
	Server network ports should support DPDK and it should deliver zero packet loss as per RFC 2544 and deliver 100% line rate for all the packet sizes over 64 Bytes, Vendor to submit latest DPDK test report for the same	Yes, No Or higher
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Dual port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	vHBA Card Features Supported	Yes Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher
	Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher
	Length of Twinax Breakout Cables per Port (meter)	5, 10, 15, 0 Or higher
	Video Controller (support VGA or above resolution)	Yes Or higher
	Keyboard Port	Yes, No Or higher
	Mouse Port	Yes, No Or higher
	DVD ROM (Internal/Exrternal)	Yes, No Or higher
	USB Ports (version 2point0/3point0)	3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Total number of Spare Bays Available for Future Upgradation (Internal)	5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 Or higher
	Total number of Spare Bays Available for Future Upgradation (Hot Plugable)	0.0 - 50.0 Or higher
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux

Specification	Specification Name	Bid Requirement (Allowed Values)
	Certification/Compliance (Virtualization/Cloud Platform)	VM ware, HyperV, Oracle Virtualization, Red Hat Virtualization, PowerVM, OpenStack, Kubernetes
Features	Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites., Automated infrastructure management for patch upgrades, version upgrades ,etc., Simplified management with analytics driven actionable intelligence., System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user-assigned attributes, Hardware Profile based deployment to multiple Servers simultaneously, Policy template for deployment of single policy to multiple Servers simultaneously, Platfrom inventory and helath status, Server utilization statistics collection (including firmware updates and diagnostic tools), Should provide an alert in case the system is not part of OEM hardware complatibilty test, Solution should be open and programmable providing Rest API, SDK for programming lanugaes like Python , power shell scripts etc., Should have customizable dashboard to show overall faults/health/inventory for all managed infrastructure the solution should provide option to create unique dashboards for individual users.the user should be flexibility to select name for dshasboards and widgets (viz. health, utilization etc), Single pane of glass for auto Provisioning across Multi vendor & multi hypervisor platform, Self service portal deployment for automated provisioning, Real-time out-of-band hardware performance monitoring & alerting
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)
	Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hypervisor/ Operating System on predefined security breach, Secure /Automatic BIOS recovery, Network Card secure firmware boot, In case of any security breach system should provide the lock down feature
	Server scalability to be achived within the box & without adding nodes	Yes Or higher
	support for high availability clustering and virtualization	Yes Or higher
Generic	Redundant Power Supply	Yes Or higher

Specification	Specification Name	Bid Requirement (Allowed Values)
	Hot Swappable (Redundant Power Supply)	Yes Or higher
	Power Supply Efficiency	Platinum, Titanium, Bronze Or higher
	Redundant Fan	Yes Or higher
	Hot Swappable (Redundant Fan)	Yes Or higher
	Server Main Supply	230 +/- 10%Vac
Benchmark	SPEC int_rate_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	83.3 Or higher
	SPEC fp_rate_2017 for the product (must be available on SPEC dot ORG before evaluation)	91.2 Or higher
	SPEC int_speed_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	0.0 Or higher
	SPEC fp_speed_2017 for the product (must be available on SPEC dot ORG before evaluation)	0.0 Or higher
Miscellaneous	BIS Registration under CRS of MeitY	Yes
	Availability of the type test report from Central Government / NABL / ILAC accredited laboratory covering verification of all features & functional parameters & environmental tests sequence	Yes Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sharath B	413601,Tata Institute of Social Sciences, Apsinga Road, Tuljapur, TQ. Tuljapur, Dist. Osmanabad, Maharashtra 413 601	01	90

Buyer Added Bid Specific Terms and Conditions

1. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. Warranty

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

6. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

7. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

8. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

9. Past Project Experience

For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

- a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
- b. Execution certificate by client with order value.
- c. Any other document in support of order execution like Third Party Inspection release note, etc.

10. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

11. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

12. **Generic**

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

13. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

14. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---